KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-4AD8E5

Client: Double R Labs **Certified:** 07/13/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	PT-141	**Form**	Lyophilized powder
Batch	DRL-07-PT10	**Labeled Qty**	10 mg
Mol. Formula	C50H68N14O10	**CAS Number**	189691-06-3
Cap Color	Green	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.701% ✓
Batch Avg Net Content	(~10mg)	10.09 mg ✓
Identity Confirmation (LC-MS)	(PT-141)	PT-141 ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	Pass ✓
Fentanyl Presence Analysis	(Not Detected)	Not Detected ✓
Rapid Sterility Screening	(No Growth)	No microbial growth detected ✓

HEAVY METAL SCREENING

Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.698	10.09
Vial 2	99.429	10.22
Vial 3	99.841	9.86
Vial 4	99.836	10.19
Batch Average	**99.701%**	**10.09 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-4AD8E5
Access Code: ERRGG2Q