



Client: Coffee & Peppers
Accession #: 2607280732
Search Code: Coff2607280732
Received: 7/28/2026
Reported: 7/31/2026
Lot: CPAOD10AP26208


Sample Summary

Product:	AOD 10mg	Purity:	Vial 1: 99.73% Vial 2: 99.58% Vial 3: 99.91% Vial 4: 99.66% Vial 5: 99.87% Vial 6: 99.52% Vial 7: 99.79% Vial 8: 99.95% Vial 9: 99.62% Vial 10: 99.84%
Identity:	Confirmed	Net Content:	Vial 1: 11.62 mg Vial 2: 12.95 mg Vial 3: 12.08 mg Vial 4: 13.11 mg Vial 5: 11.89 mg Vial 6: 12.74 mg Vial 7: 12.21 mg Vial 8: 12.56 mg Vial 9: 11.98 mg Vial 10: 12.56 mg
Appearance:	White Lyophilized Powder		
Endotoxin Threshold:	Pass		
Microbial Analysis (PCR):	Pass		
Elemental Impurities (ICP-MS):	Pass		
As Cd Pb Hg			
Fentanyl	No Fentanyl Detected		


Analytical Results

Test	Result
Identity (LC-MS)	AOD-9604
Purity (HPLC-UV)	99.75%
Net Content	12.37 mg
Elemental Impurities (ICP-MS):	Pass — Arsenic, Cadmium, Lead, and Mercury below reporting/specification limits
<i>Method:</i> Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.	
Endotoxin Replicate 1:	Pass Assay Sensitivity: ≤0.05 EU/mL
Endotoxin Replicate 2:	Pass Assay Sensitivity: ≤0.05 EU/mL
<i>Method:</i> Microbial detection performed using validated polymerase chain reaction (PCR)-based assay targeting common microbial contaminants.	
Microbial Analysis (PCR)	No Detectable Microbial DNA
<i>Method:</i> HPLC with UV detection coupled with mass spectrometry (LC-MS).	

Chromatogram



Mass Confirmation




 Principal Chemist

FreedomDiagnosticsTesting.com
 Admin@FreedomDiagnostics.net
Proudly Owned and Operated in the USA



The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.