




Polaris Peptides
mike@maring.us
https://polarispeptides.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

Retatrutide
39FH-V7ZS
09/28/2026
10/01/2026



DECLARED IDENTITY: Retatrutide
MATRIX TYPE: PEPTIDE
SAMPLE NAME: Retatrutide
SAMPLE SIZE: 15.0 mg
LOT CODE: POL-R15-13



Variance
3 Vials




16.71 mg
Total Quantity



99.98%
Total Blend Purity

Sample	Test	Specification	Result	Status
Retatrutide	IDENTITY	Retatrutide	Conforms 3/3	Conforms 3/3
Retatrutide	QUANTITY	As measured	mean 16.71 mg · SD 0.25 · %RSD 1.51% · n=3	MEASURED
Retatrutide	PURITY	≥ 98 %	mean 99.98% · SD 0.01 · %RSD 0.01% · n=3	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
10/01/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
10/01/2026

ACCUMARKLABS.COM
39FH-V7ZS
10/01/2026





Polaris Peptides
mike@maring.us
<https://polarispeptides.com>

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

Retatrutide
39FH-V7ZS
09/28/2026
10/01/2026

VIAL		Retatrutide	
	Identity	Quantity mg	Purity %
● Vial 1	Conforms	16.596 mg	99.987%
● Vial 2	Conforms	16.544 mg	99.977%
● Vial 3	Conforms	17.004 mg	99.98%

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
10/01/2026


Dr. Levi Fried MD
Lab Director
10/01/2026

ACCUMARKLABS.COM
39FH-V7ZS
10/01/2026

