

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Epithalon - 50mg

PASS



Tested for: NextGen Peptides
www.NGpeptide.com

COA #: **COA-2026-GIIHMN**
Lot Number: **EP50-06**
Accession #: **ACC-2026-1769**
Concentration: **50mg**
Sample Matrix: **Lyophilized**

Method: **Full QC Panel**
Analysis Date: **05/07/2026**
Appearance: **Good**
Volume: **3mL**
Received: **05/01/2026**



Scan to verify
authenticity at ils-lab.com

Identity

Epithalon


Purity

99.01%

Full QC Panel

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	99.01%	%	PASS
Net Peptide Content	Report Only	51.39	mg	N/A
Identity (ID)	Epithalon	Confirmed	-	PASS

HPLC Chromatogram



Epithalon 50mg - EP50-06: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	<i>Not Detected</i>	PASS
Cadmium (Cd)	NMT 0.5 ppm	<i>Not Detected</i>	PASS
Chromium (Cr)	NMT 10 ppm	<i>Not Detected</i>	PASS
Mercury (Hg)	NMT 1.5 ppm	<i>Not Detected</i>	PASS
Lead (Pb)	NMT 1 ppm	<i>Not Detected</i>	PASS



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
5/7/2026

COA #: **COA-2026-GIIHMN**
Access Code: **KQQOAGSQ**
Verify: <portal.ils-lab.com/verify/TvImvjQ5xYJebZ6Z>
Issued: 5/7/2026

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Epithalon - 50mg

PASS**Tested for: NextGen Peptides**www.NGpeptide.com

COA #: **COA-2026-GIIHMN**
Lot Number: **EP50-06**
Accession #: **ACC-2026-1769**
Concentration: **50mg**
Sample Matrix: **Lyophilized**

Method: **Full QC Panel**
Analysis Date: **05/07/2026**
Appearance: **Good**
Volume: **3mL**
Received: **05/01/2026**



Scan to verify
authenticity at ils-lab.com

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	No Growth	-	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	0.118 EU/mL		PASS

Notes & Methodology

- Date Tested: 05/07/2026. Methods: Full QC Panel.
- The sample was confirmed to be Epithalon by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.



Dr. Greg Kalyuzhny
Lab Director
5/7/2026

COA #: **COA-2026-GIIHMN**
Access Code: **KQQOAGSQ**
Verify: portal.ils-lab.com/verify/TvImvjQ5xYJebZ6Z
Issued: 5/7/2026