

Certificate of Analysis



Client:
Polaris Peptides

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Verify at TrustPointeLIMS.com
Key=XYFDVBXAZLMY

Sample Information

Sample Name	SS31 25mg, 3 vials	Client SID	POL-SS31-3	Published	2026-10-01 10:08
--------------------	--------------------	-------------------	------------	------------------	------------------

Results

Sample IDs	SPL-5031	SPL-5031-S01	SPL-5031-S02
TM-1011 SS-31 Assay	29.203 <i>mg</i>	29.695 <i>mg</i>	29.648 <i>mg</i>
TM-1011 SS-31 Purity	99.907 %	99.907 %	99.874 %
TM-1011 SS-31 ID by RT	0.99	1.00	1.00
TM-1011 SS-31 ID by Spectral	1000	1000	1000
TM-1011 Coelution Control	1000	1000	1000
TM-1011 System Suitability	0.2 %RSD	0.2 %RSD	0.2 %RSD

Approvals

Created by

Ashlee Lust
President

Reviewed by

Joshua Lust
Managing Director

Attachments for SPL-5031



Attachment for SPL-5031
Filename: SPL-5031.png